

Summierte Binomialverteilung

$$B(n; p; k) = P(X \leq k)$$

n = 5

k	p = 0,05	p = 0,10	p = 1/6	p = 0,20	p = 0,25	p = 0,30	p = 0,40	p = 0,50	k
0	0,7738	0,5905	0,4019	0,3277	0,2373	0,1681	0,0778	0,0313	4
1	0,9774	0,9185	0,8038	0,7373	0,6328	0,5282	0,3370	0,1875	3
2	0,9988	0,9914	0,9645	0,9421	0,8965	0,8369	0,6826	0,5000	2
3	1,0000	0,9995	0,9967	0,9933	0,9844	0,9692	0,9130	0,8125	1
4	1,0000	1,0000	0,9999	0,9997	0,9990	0,9976	0,9898	0,9688	0
k	p = 0,95	p = 0,90	p = 5/6	p = 0,80	p = 0,75	p = 0,70	p = 0,60	p = 0,50	k

n = 10

k	p = 0,05	p = 0,10	p = 1/6	p = 0,20	p = 0,25	p = 0,30	p = 0,40	p = 0,50	k
0	0,5987	0,3487	0,1615	0,1074	0,0563	0,0282	0,0060	0,0010	9
1	0,9139	0,7361	0,4845	0,3758	0,2440	0,1493	0,0464	0,0107	8
2	0,9885	0,9298	0,7752	0,6778	0,5256	0,3828	0,1673	0,0547	7
3	0,9990	0,9872	0,9303	0,8791	0,7759	0,6496	0,3823	0,1719	6
4	0,9999	0,9984	0,9845	0,9672	0,9219	0,8497	0,6331	0,3770	5
5	1,0000	0,9999	0,9976	0,9936	0,9803	0,9527	0,8338	0,6230	4
6	1,0000	1,0000	0,9997	0,9991	0,9965	0,9894	0,9452	0,8281	3
7	1,0000	1,0000	1,0000	0,9999	0,9996	0,9984	0,9877	0,9453	2
8	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9983	0,9893	1
9	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9990	0
k	p = 0,95	p = 0,90	p = 5/6	p = 0,80	p = 0,75	p = 0,70	p = 0,60	p = 0,50	k

Für den Tabelleneingang „rechte k-Spalte“, $p \geq 0,5$ und den angegebenen Tabellenwert W gilt:

$$B(n; p; k) = 1 - W$$

n = 20

k	p = 0,05	p = 0,10	p = 1/6	p = 0,20	p = 0,25	p = 0,30	p = 0,40	p = 0,50	k
0	0,3585	0,1216	0,0261	0,0115	0,0032	0,0008	0,0000	0,0000	19
1	0,7358	0,3917	0,1304	0,0692	0,0243	0,0076	0,0005	0,0000	18
2	0,9245	0,6769	0,3287	0,2061	0,0913	0,0355	0,0036	0,0002	17
3	0,9841	0,8670	0,5665	0,4114	0,2252	0,1071	0,0160	0,0013	16
4	0,9974	0,9568	0,7687	0,6296	0,4148	0,2375	0,0510	0,0059	15
5	0,9997	0,9887	0,8982	0,8042	0,6172	0,4164	0,1256	0,0207	14
6	1,0000	0,9976	0,9629	0,9133	0,7858	0,6080	0,2500	0,0577	13
7	1,0000	0,9996	0,9887	0,9679	0,8982	0,7723	0,4159	0,1316	12
8	1,0000	0,9999	0,9972	0,9900	0,9591	0,8867	0,5956	0,2517	11
9	1,0000	1,0000	0,9994	0,9974	0,9861	0,9520	0,7553	0,4119	10
10	1,0000	1,0000	0,9999	0,9994	0,9961	0,9829	0,8725	0,5881	9
11	1,0000	1,0000	1,0000	0,9999	0,9991	0,9949	0,9435	0,7483	8
12	1,0000	1,0000	1,0000	1,0000	0,9998	0,9987	0,9790	0,8684	7
13	1,0000	1,0000	1,0000	1,0000	1,0000	0,9997	0,9935	0,9423	6
14	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9984	0,9793	5
15	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9997	0,9941	4
16	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9987	3
17	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9998	2
18	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1
19	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0
k	p = 0,95	p = 0,90	p = 5/6	p = 0,80	p = 0,75	p = 0,70	p = 0,60	p = 0,50	k

Für den Tabelleneingang „rechte k-Spalte“, $p \geq 0,5$ und den angegebenen Tabellenwert W gilt:

$$B(n; p; k) = 1 - W$$

n = 25

k	p = 0,05	p = 0,10	p = 1/6	p = 0,20	p = 0,25	p = 0,30	p = 0,40	p = 0,50	k
0	0,2774	0,0718	0,0105	0,0038	0,0008	0,0001	0,0000	0,0000	24
1	0,6424	0,2712	0,0629	0,0274	0,0070	0,0016	0,0001	0,0000	23
2	0,8729	0,5371	0,1887	0,0982	0,0321	0,0090	0,0004	0,0000	22
3	0,9659	0,7636	0,3816	0,2340	0,0962	0,0332	0,0024	0,0001	21
4	0,9928	0,9020	0,5937	0,4207	0,2137	0,0905	0,0095	0,0005	20
5	0,9988	0,9666	0,7720	0,6167	0,3783	0,1935	0,0294	0,0020	19
6	0,9998	0,9905	0,8908	0,7800	0,5611	0,3407	0,0736	0,0073	18
7	1,0000	0,9977	0,9553	0,8909	0,7265	0,5118	0,1536	0,0216	17
8	1,0000	0,9995	0,9843	0,9532	0,8506	0,6769	0,2735	0,0539	16
9	1,0000	0,9999	0,9953	0,9827	0,9287	0,8106	0,4246	0,1148	15
10	1,0000	1,0000	0,9988	0,9944	0,9703	0,9022	0,5858	0,2122	14
11	1,0000	1,0000	0,9997	0,9985	0,9893	0,9558	0,7323	0,3450	13
12	1,0000	1,0000	0,9999	0,9996	0,9966	0,9825	0,8462	0,5000	12
13	1,0000	1,0000	1,0000	0,9999	0,9991	0,9940	0,9222	0,6550	11
14	1,0000	1,0000	1,0000	1,0000	0,9998	0,9982	0,9656	0,7878	10
15	1,0000	1,0000	1,0000	1,0000	1,0000	0,9995	0,9868	0,8852	9
16	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9957	0,9461	8
17	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9988	0,9784	7
18	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9997	0,9927	6
19	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9980	5
20	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9995	4
21	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	3
22	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	2
23	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1
24	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0
k	p = 0,95	p = 0,90	p = 5/6	p = 0,80	p = 0,75	p = 0,70	p = 0,60	p = 0,50	k

Für den Tabelleneingang „rechte k-Spalte“, $p \geq 0,5$ und den angegebenen Tabellenwert W gilt:
 $B(n; p; k) = 1 - W$

n = 50

k	p = 0,05	p = 0,10	p = 1/6	p = 0,20	p = 0,25	p = 0,30	p = 0,40	p = 0,50	k
0	0,0769	0,0052	0,0001	0,0000	0,0000	0,0000	0,0000	0,0000	49
1	0,2794	0,0338	0,0012	0,0002	0,0000	0,0000	0,0000	0,0000	48
2	0,5405	0,1117	0,0066	0,0013	0,0001	0,0000	0,0000	0,0000	47
3	0,7604	0,2503	0,0238	0,0057	0,0005	0,0000	0,0000	0,0000	46
4	0,8964	0,4312	0,0643	0,0185	0,0021	0,0002	0,0000	0,0000	45
5	0,9622	0,6161	0,1388	0,0480	0,0070	0,0007	0,0000	0,0000	44
6	0,9882	0,7702	0,2506	0,1034	0,0194	0,0025	0,0000	0,0000	43
7	0,9968	0,8779	0,3911	0,1904	0,0453	0,0073	0,0001	0,0000	42
8	0,9992	0,9421	0,5421	0,3073	0,0916	0,0183	0,0002	0,0000	41
9	0,9998	0,9755	0,6830	0,4437	0,1637	0,0402	0,0008	0,0000	40
10	1,0000	0,9906	0,7986	0,5836	0,2622	0,0789	0,0022	0,0000	39
11	1,0000	0,9968	0,8827	0,7107	0,3816	0,1390	0,0057	0,0000	38
12	1,0000	0,9990	0,9373	0,8139	0,5110	0,2229	0,0133	0,0002	37
13	1,0000	0,9997	0,9693	0,8894	0,6370	0,3279	0,0280	0,0005	36
14	1,0000	0,9999	0,9862	0,9393	0,7481	0,4468	0,0540	0,0013	35
15	1,0000	1,0000	0,9943	0,9692	0,8369	0,5692	0,0955	0,0033	34
16	1,0000	1,0000	0,9978	0,9856	0,9017	0,6839	0,1561	0,0077	33
17	1,0000	1,0000	0,9992	0,9937	0,9449	0,7822	0,2369	0,0164	32
18	1,0000	1,0000	0,9997	0,9975	0,9713	0,8594	0,3356	0,0325	31
19	1,0000	1,0000	0,9999	0,9991	0,9861	0,9152	0,4465	0,0595	30
20	1,0000	1,0000	1,0000	0,9997	0,9937	0,9522	0,5610	0,1013	29
21	1,0000	1,0000	1,0000	0,9999	0,9974	0,9749	0,6701	0,1611	28
22	1,0000	1,0000	1,0000	1,0000	0,9990	0,9877	0,7660	0,2399	27
23	1,0000	1,0000	1,0000	1,0000	0,9996	0,9944	0,8438	0,3359	26
24	1,0000	1,0000	1,0000	1,0000	0,9999	0,9976	0,9022	0,4439	25
25	1,0000	1,0000	1,0000	1,0000	1,0000	0,9991	0,9427	0,5561	24
26	1,0000	1,0000	1,0000	1,0000	1,0000	0,9997	0,9686	0,6641	23
27	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9840	0,7601	22
28	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9924	0,8389	21
29	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9966	0,8987	20
30	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9986	0,9405	19
31	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9995	0,9675	18
32	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9998	0,9836	17
33	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9923	16
34	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9967	15
35	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9987	14
36	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9995	13
37	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9998	12
38	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	11
39	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	10
40	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	9
k	p = 0,95	p = 0,90	p = 5/6	p = 0,80	p = 0,75	p = 0,70	p = 0,60	p = 0,50	k

Für den Tabelleneingang „rechte k-Spalte“, $p \geq 0,5$ und den angegebenen Tabellenwert W gilt:

$$B(n; p; k) = 1 - W$$

n = 100

k	p = 0,05	p = 0,10	p = 1/6	p = 0,20	p = 0,25	p = 0,30	p = 0,40	p = 0,50	k
0	0,0059	0,0000	0,0000	0,0000	0,0000	0,0000	0,0000	0,0000	99
1	0,0371	0,0003	0,0000	0,0000	0,0000	0,0000	0,0000	0,0000	98
2	0,1183	0,0019	0,0000	0,0000	0,0000	0,0000	0,0000	0,0000	97
3	0,2578	0,0078	0,0000	0,0000	0,0000	0,0000	0,0000	0,0000	96
4	0,4360	0,0237	0,0001	0,0000	0,0000	0,0000	0,0000	0,0000	95
5	0,6160	0,0576	0,0004	0,0000	0,0000	0,0000	0,0000	0,0000	94
6	0,7660	0,1172	0,0013	0,0001	0,0000	0,0000	0,0000	0,0000	93
7	0,8720	0,2061	0,0038	0,0003	0,0000	0,0000	0,0000	0,0000	92
8	0,9369	0,3209	0,0095	0,0009	0,0000	0,0000	0,0000	0,0000	91
9	0,9718	0,4513	0,0213	0,0023	0,0000	0,0000	0,0000	0,0000	90
10	0,9885	0,5832	0,0427	0,0057	0,0001	0,0000	0,0000	0,0000	89
11	0,9957	0,7030	0,0777	0,0126	0,0004	0,0000	0,0000	0,0000	88
12	0,9985	0,8018	0,1297	0,0253	0,0010	0,0000	0,0000	0,0000	87
13	0,9995	0,8761	0,2000	0,0469	0,0025	0,0001	0,0000	0,0000	86
14	0,9999	0,9274	0,2874	0,0804	0,0054	0,0002	0,0000	0,0000	85
15	1,0000	0,9601	0,3877	0,1285	0,0111	0,0004	0,0000	0,0000	84
16	1,0000	0,9794	0,4942	0,1923	0,0211	0,0010	0,0000	0,0000	83
17	1,0000	0,9900	0,5994	0,2712	0,0376	0,0022	0,0000	0,0000	82
18	1,0000	0,9954	0,6965	0,3621	0,0630	0,0045	0,0000	0,0000	81
19	1,0000	0,9980	0,7803	0,4602	0,0995	0,0089	0,0000	0,0000	80
20	1,0000	0,9992	0,8481	0,5595	0,1488	0,0165	0,0000	0,0000	79
21	1,0000	0,9997	0,8998	0,6540	0,2114	0,0288	0,0000	0,0000	78
22	1,0000	0,9999	0,9369	0,7389	0,2864	0,0479	0,0001	0,0000	77
23	1,0000	1,0000	0,9621	0,8109	0,3711	0,0755	0,0003	0,0000	76
24	1,0000	1,0000	0,9783	0,8686	0,4617	0,1136	0,0006	0,0000	75
25	1,0000	1,0000	0,9881	0,9125	0,5535	0,1631	0,0012	0,0000	74
26	1,0000	1,0000	0,9938	0,9442	0,6417	0,2244	0,0024	0,0000	73
27	1,0000	1,0000	0,9969	0,9658	0,7224	0,2964	0,0046	0,0000	72
28	1,0000	1,0000	0,9985	0,9800	0,7925	0,3768	0,0084	0,0000	71
29	1,0000	1,0000	0,9993	0,9888	0,8505	0,4623	0,0148	0,0000	70
30	1,0000	1,0000	0,9997	0,9939	0,8962	0,5491	0,0248	0,0000	69
31	1,0000	1,0000	0,9999	0,9969	0,9307	0,6331	0,0398	0,0001	68
32	1,0000	1,0000	1,0000	0,9984	0,9554	0,7107	0,0615	0,0002	67
33	1,0000	1,0000	1,0000	0,9993	0,9724	0,7793	0,0913	0,0004	66
34	1,0000	1,0000	1,0000	0,9997	0,9836	0,8371	0,1303	0,0009	65
35	1,0000	1,0000	1,0000	0,9999	0,9906	0,8839	0,1795	0,0018	64
36	1,0000	1,0000	1,0000	0,9999	0,9948	0,9201	0,2386	0,0033	63
37	1,0000	1,0000	1,0000	1,0000	0,9973	0,9470	0,3068	0,0060	62
38	1,0000	1,0000	1,0000	1,0000	0,9986	0,9660	0,3822	0,0105	61
39	1,0000	1,0000	1,0000	1,0000	0,9993	0,9790	0,4621	0,0176	60
40	1,0000	1,0000	1,0000	1,0000	0,9997	0,9875	0,5433	0,0284	59
k	p = 0,95	p = 0,90	p = 5/6	p = 0,80	p = 0,75	p = 0,70	p = 0,60	p = 0,50	k

Für den Tabelleneingang „rechte k-Spalte“, $p \geq 0,5$ und den angegebenen Tabellenwert W gilt:

$$B(n; p; k) = 1 - W$$

n = 100

k	p = 0,05	p = 0,10	p = 1/6	p = 0,20	p = 0,25	p = 0,30	p = 0,40	p = 0,50	k
41	1,0000	1,0000	1,0000	1,0000	0,9999	0,9928	0,6225	0,0443	58
42	1,0000	1,0000	1,0000	1,0000	0,9999	0,9960	0,6967	0,0666	57
43	1,0000	1,0000	1,0000	1,0000	1,0000	0,9979	0,7635	0,0967	56
44	1,0000	1,0000	1,0000	1,0000	1,0000	0,9989	0,8211	0,1356	55
45	1,0000	1,0000	1,0000	1,0000	1,0000	0,9995	0,8689	0,1841	54
46	1,0000	1,0000	1,0000	1,0000	1,0000	0,9997	0,9070	0,2421	52
47	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9362	0,3086	51
48	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9577	0,3822	50
49	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9729	0,4602	49
50	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9832	0,5398	48
51	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9900	0,6178	47
52	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9942	0,6914	46
53	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9968	0,7579	45
54	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9983	0,8159	44
55	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9991	0,8644	43
56	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9996	0,9033	42
57	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9998	0,9334	41
58	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9557	40
59	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9716	39
60	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9824	38
61	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9895	37
62	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9940	36
63	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9967	35
64	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9982	34
65	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9991	33
66	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9996	32
67	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9998	31
68	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	30
69	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	29
70	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	28
71	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	1,0000	27
k	p = 0,95	p = 0,90	p = 5/6	p = 0,80	p = 0,75	p = 0,70	p = 0,60	p = 0,50	k

Für den Tabelleneingang „rechte k-Spalte“, $p \geq 0,5$ und den angegebenen Tabellenwert W gilt:

$$B(n; p; k) = 1 - W$$

n = 200

k	p = 1/6	p = 0,20	p = 0,25	p = 0,40	p = 0,50	k
14	0,0000	0,0000	0,0000	0,0000	0,0000	185
15	0,0001	0,0000	0,0000	0,0000	0,0000	184
19	0,0027	0,0000	0,0000	0,0000	0,0000	180
20	0,0052	0,0001	0,0000	0,0000	0,0000	179
24	0,0426	0,0020	0,0000	0,0000	0,0000	175
25	0,0648	0,0036	0,0000	0,0000	0,0000	174
29	0,2366	0,0283	0,0002	0,0000	0,0000	170
30	0,3007	0,0430	0,0004	0,0000	0,0000	169
34	0,5953	0,1656	0,0044	0,0000	0,0000	165
35	0,6658	0,2151	0,0073	0,0000	0,0000	164
39	0,8777	0,4718	0,0405	0,0000	0,0000	160
40	0,9106	0,5422	0,0578	0,0000	0,0000	159
44	0,9801	0,7887	0,1852	0,0000	0,0000	155
45	0,9872	0,8349	0,2332	0,0000	0,0000	154
49	0,9983	0,9506	0,4729	0,0000	0,0000	150
50	0,9990	0,9655	0,5379	0,0000	0,0000	149
54	0,9999	0,9934	0,7707	0,0001	0,0000	145
55	1,0000	0,9959	0,8162	0,0002	0,0000	144
59	1,0000	0,9995	0,9375	0,0013	0,0000	140
60	1,0000	0,9997	0,9546	0,0021	0,0000	139
64	1,0000	1,0000	0,9897	0,0119	0,0000	135
65	1,0000	1,0000	0,9932	0,0173	0,0000	134
69	1,0000	1,0000	0,9990	0,0639	0,0000	130
70	1,0000	1,0000	0,9994	0,0844	0,0000	129
74	1,0000	1,0000	0,9999	0,2142	0,0001	125
75	1,0000	1,0000	1,0000	0,2590	0,0002	124
79	1,0000	1,0000	1,0000	0,4732	0,0018	120
80	1,0000	1,0000	1,0000	0,5307	0,0028	119
84	1,0000	1,0000	1,0000	0,7428	0,0141	115
85	1,0000	1,0000	1,0000	0,7868	0,0200	114
89	1,0000	1,0000	1,0000	0,9143	0,0687	110
90	1,0000	1,0000	1,0000	0,9345	0,0895	109
94	1,0000	1,0000	1,0000	0,9812	0,2184	105
95	1,0000	1,0000	1,0000	0,9869	0,2623	104
99	1,0000	1,0000	1,0000	0,9974	0,4718	100
100	1,0000	1,0000	1,0000	0,9983	0,5282	99
104	1,0000	1,0000	1,0000	0,9998	0,7377	95
105	1,0000	1,0000	1,0000	0,9999	0,7816	94
109	1,0000	1,0000	1,0000	1,0000	0,9105	90
110	1,0000	1,0000	1,0000	1,0000	0,9313	89
114	1,0000	1,0000	1,0000	1,0000	0,9800	85
115	1,0000	1,0000	1,0000	1,0000	0,9859	84
119	1,0000	1,0000	1,0000	1,0000	0,9972	80
120	1,0000	1,0000	1,0000	1,0000	0,9982	79
124	1,0000	1,0000	1,0000	1,0000	0,9998	75
125	1,0000	1,0000	1,0000	1,0000	0,9999	74
129	1,0000	1,0000	1,0000	1,0000	1,0000	70
130	1,0000	1,0000	1,0000	1,0000	1,0000	69
k	p = 5/6	p = 0,80	p = 0,75	p = 0,60	p = 0,50	k

Für den Tabelleneingang „rechte k-Spalte“, $p \geq 0,5$ und den angegebenen Tabellenwert W gilt:
 $B(n; p; k) = 1 - W$